






Search Results

From the 6/11/2021 release of VAERS data:

Found 29,871 cases where Vaccine is COVID19 and Serious

Table

	 	
Age	Count	Percent
< 3 Years	8	0.03%
3-6 Years	3	0.01%
12-17 Years	271	0.91%
17-44 Years	5,398	18.07%
44-65 Years	8,184	27.4%
65-75 Years	5,754	19.26%
75+ Years	7,413	24.82%
Unknown	2,840	9.51%
TOTAL	29,871	100%

Case Details

This is page 1 out of 2,988

Result pages: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

VAERS ID: 902479 <small>(history)</small>	Vaccinated:	2020-12-14
Form: Version 2.0	Onset:	2020-12-14
Age: 46.0	Days after vaccination:	0
Sex: Female	Submitted:	0000-00-00
Location: Kansas	Entered:	2020-12-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
	- / 1	

COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) /
PFIZER/BIONTECH

LA / IM

Administered by: Other **Purchased by:** ?

Symptoms: [Chest pain](#), [Feeling abnormal](#), [Flushing](#), [Intensive care](#)

SMQs:, Anaphylactic reaction (broad), Dementia (broad),
Gastrointestinal nonspecific symptoms and therapeutic procedures
(broad), Cardiomyopathy (broad), Hypersensitivity (broad)

Life Threatening? No

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: unknown

Current Illness: No

Preexisting Conditions: unknown

Allergies: No

Diagnostic Lab Data: Unknown but sent to SICU for monitoring

CDC Split Type:

Write-up: rPfizer-BionNTech COVID-19 Vaccine EUA 5-7 minutes after
the vaccine Associate stated she did not feel right, mentioned chest
pain. "My chest feels funny. It feels like when you have really bad
heartburn coming on". "I feel flushed like when you get contrast for a
CT". Pulse 90 BP 160/90 checked later 130/90

VAERS ID: [902946 \(history\)](#) **Vaccinated:** 2020-12-17
Form: Version 2.0 **Onset:** 2020-12-17
Age: 26.0 **Days after vaccination:** 0
Sex: Male **Submitted:** 0000-00-00
Location: West Virginia **Entered:** 2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	RA / IM

Administered by: Public **Purchased by:** ?

Symptoms: [Angioedema](#), [Peripheral swelling](#)

SMQs:, Cardiac failure (broad), Anaphylactic reaction (broad),
Angioedema (narrow), Oropharyngeal allergic conditions (narrow),
Extravasation events (injections, infusions and implants) (broad),
Haemodynamic oedema, effusions and fluid overload (narrow),
Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic
symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No
Office Visit? Yes
ER Visit? No
ER or Doctor Visit? No
Hospitalized? No
Previous Vaccinations:
Other Medications: No
Current Illness: None
Preexisting Conditions: None
Allergies: Sulfa (oral)
Diagnostic Lab Data: na
CDC Split Type:
Write-up: Swelling of hands followed by angioedema

VAERS ID: [903123](#) ([history](#)) **Vaccinated:** 2020-12-16
Form: Version 2.0 **Onset:** 2020-12-16
Age: 37.0 **Days after vaccination:** 0
Sex: Female **Submitted:** 0000-00-00
Location: Alaska **Entered:** 2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Activated partial thromboplastin time shortened](#), [Alanine aminotransferase normal](#), [Anion gap](#), [Aspartate aminotransferase normal](#), [Basophil count normal](#), [Basophil percentage decreased](#), [Blood albumin normal](#), [Blood alkaline phosphatase normal](#), [Blood bilirubin normal](#), [Blood calcium normal](#), [Blood chloride normal](#), [Blood glucose normal](#), [Blood magnesium normal](#), [Blood osmolarity decreased](#), [Blood potassium decreased](#), [Blood sodium normal](#), [Blood urea nitrogen/creatinine ratio](#), [Blood urea normal](#), [C-reactive protein increased](#), [Chest discomfort](#), [Dizziness](#), [Dyspnoea](#), [Eosinophil count normal](#), [Eosinophil percentage decreased](#), [Fibrin D dimer](#), [Glomerular filtration rate decreased](#), [Haematocrit normal](#), [Haemoglobin normal](#), [Immature granulocyte count increased](#), [Injection site pain](#), [International normalised ratio normal](#), [Lymphocyte count normal](#), [Lymphocyte percentage](#), [Mean cell haemoglobin concentration decreased](#), [Mean cell haemoglobin normal](#), [Mean cell volume normal](#), [Mean platelet volume increased](#), [Monocyte count normal](#), [Monocyte percentage](#), [N-terminal prohormone brain natriuretic peptide normal](#), [Neutrophil count normal](#), [Neutrophil percentage](#), [Palpitations](#), [Platelet count normal](#), [Protein total normal](#), [Rash](#), [Rash erythematous](#), [Red blood cell count normal](#), [Red blood cell sedimentation rate increased](#), [Red cell distribution width normal](#), [SARS-CoV-2 test negative](#), [Troponin T normal](#), [White blood cell count normal](#)

SMQs:, Rhabdomyolysis/myopathy (broad), Acute renal failure (broad), Anaphylactic reaction (narrow), Haematopoietic leukopenia (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Extravasation events (injections, infusions and implants) (broad), Hyponatraemia/SIADH

(broad), Cardiomyopathy (broad), Vestibular disorders (broad), Chronic kidney disease (broad), Hypersensitivity (narrow), Tumour lysis syndrome (broad), Drug reaction with eosinophilia and systemic symptoms syndrome (broad), Hypokalaemia (narrow), COVID-19 (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications: Eliquis, Bumetanide

Current Illness: none

Preexisting Conditions: Pulmonary Hypertension Obesity Li-Fraumeni Syndrome H/o Breast Cancer

Allergies: Latex, Propofol, Nickel, Almonds

Diagnostic Lab Data: WBC 9.88 HGB 14.4 HCT 40.8 Platelet Count 292 RBC 4.81 MCV 84.8 MCH 29.9 MCHC 29.9 RDW 12.5 MPV 10.8 Sedimentation Rate 37 Diff Absolute Neutrophils 6.44 Absolute Imm. Granulocyte 0.01 Absolute Lymphocytes - CBC 2.94 Absolute Monocytes - 0.38 Absolute Eosinophils - 0.08 Absolute Basophils - 0.03 Neutrophils 65.2 % Immature Granulocyte 0.1% Lymphocytes 29.8% Monocytes 3.8% Eosinophils 0.8% Basophils 0.3% Coagulation Prothrombin Time 9.8 sec INR 1.0 Partial Thromboplastin Time 26.4 sec D-DIMER,QUANT 0.67mg/L ROUTINE CHEMISTRY NT-proBNP 29 BUN/Creatinine Ratio 11.4 Osmolality Calculated 277 GFR (estimated) 67 Sodium 139 Potassium 3.0 Chloride 98 CO2 30 BUN 10.7 Creatinine 0.94 Glucose Level 100 Calcium 9.5 Magnesium 1.9 Protein,Total 7.4 Albumin 4.5 AST (SGOT) 18 ALT (SGPT) 24 Alkaline Phosphatase 94 Bilirubin, Total 0.8 CRP, High-Sensitivity 1.72 Anion Gap 14 CARDIAC ISOENZYMES Troponin T <0.01 Molecular Diagnostics SARS-CoV-2 - negative

CDC Split Type:

Write-up: About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.

VAERS ID: 903132 <small>(history)</small>	Vaccinated:	2020-12-17
Form: Version 2.0	Onset:	2020-12-17
Age: 40.0	Days after vaccination:	0
Sex: Female	Submitted:	0000-00-00
Location: Alaska	Entered:	2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Throat tightness](#), [Wheelchair user](#)

SMQs:, Anaphylactic reaction (broad), Angioedema (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Hypersensitivity (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Influenza vaccine containing eggs

Other Medications: Amlodipine 2.5 mg daily Hydrochlorothiazide 37.5 mg daily Losartan 50 mg bid Metoprolol 50 mg daily Albuterol inhaler as needed

Current Illness: None

Preexisting Conditions: Hypertension h/o LTBI (treated)

Allergies: Chicken, reaction throat tightness Chocolate, throat tightness Egg, throat tightness Shellfish, rash and throat tightness

Diagnostic Lab Data:

CDC Split Type:

Write-up: 40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She has received flu vaccine w/o egg w/o problem. Due to her prior history of severe allergic reaction/anaphylaxis to another vaccine, in this case flu vaccine with eggs, we should proceed with caution. She was told we could defer vaccination until more information becomes available. She opted to proceed with receiving Pfizer-BioNTech COVID-19 Vaccine and be observed for 30 minute observation period. Patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within 1 minute of symptoms and was sent to ER immediately in wheelchair by nursing staff. Patient was evaluated in ED and was hemodynamically stable. She was given IV benadryl and was stable throughout observation

VAERS ID: 903260 <small>(history)</small>	Vaccinated:	2020-12-16
Form: Version 2.0	Onset:	2020-12-16
Age: 60.0	Days after vaccination:	0
Sex: Female	Submitted:	0000-00-00
Location: Alaska	Entered:	2020-12-17

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Condition aggravated](#), [Cough](#), [Tracheomalacia](#), [Wheezing](#)

SMQs:, Anaphylactic reaction (broad), Angioedema (broad),

Asthma/bronchospasm (broad), Eosinophilic pneumonia (broad),
Hypersensitivity (broad)

Life Threatening? No

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations: MMR and typhoid - hx of "passing out" and "throat closing"; unsure of vaccination dates, not recent

Other Medications: Acetaminophen, Albuterol, Excedrin Migraine, B complex vitamins tab, Cholecalciferol, Cyclobenzaprine, Duloxetine Dr, Esomeprazole, Norco, Analpram-HC rectal cream, hydroxyzine hydrochloride, ipratropium nasal spray, Duoneb, levothyroxine,

Current Illness:

Preexisting Conditions: asthma, diverticulosis, tracheomalacia, migraines, sciatica, sleep apnea, hiatal hernia, GERD, T2DM

Allergies: Anaphylaxis to amide, halogenated and ester anesthetics, and zofran; history of swelling with bee venom; Hives, shortness of breath and rash with peaches and sulfamethoxazole-trimethoprim; SVT with rizatriptan and sumatriptan

Diagnostic Lab Data:

CDC Split Type:

Write-up: Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.

VAERS ID: 903324 <small>(history)</small>	Vaccinated:	2020-12-17
Form: Version 2.0	Onset:	2020-12-17
Age: 31.0	Days after vaccination:	0
Sex: Female	Submitted:	0000-00-00
Location: California	Entered:	2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Dysphagia](#), [Oropharyngeal discomfort](#), [Pharyngeal swelling](#), [Throat irritation](#), [Throat tightness](#), [Tongue discomfort](#)

SMQs: Anaphylactic reaction (broad), Angioedema (narrow), Anticholinergic syndrome (broad), Oropharyngeal conditions (excl

neoplasms, infections and allergies) (narrow), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Hypersensitivity (narrow), Drug reaction with eosinophilia and systemic symptoms syndrome (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No

Previous Vaccinations: Tdap, age 20 swollen arm at injection site.

Other Medications: 2 flintStones gummies Childrens multivitamin supplement daily.

Current Illness: None

Preexisting Conditions: Asthma

Allergies: Latex

Diagnostic Lab Data: N/A

CDC Split Type:

Write-up: 40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.

VAERS ID: 903332 <small>(history)</small>	Vaccinated:	2020-12-17
Form: Version 2.0	Onset:	2020-12-18
Age: 51.0	Days after vaccination:	1
Sex: Male	Submitted:	0000-00-00
Location: North Carolina	Entered:	2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EJ1685 / 1	LA / IM

Administered by: Work **Purchased by:** ?

Symptoms: [Seizure](#)

SMQs:, Systemic lupus erythematosus (broad), Convulsions (narrow), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Generalised convulsive seizures following immunisation (narrow), Hypoglycaemia (broad)

Life Threatening? No

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, ? days
Extended hospital stay? No
Previous Vaccinations:
Other Medications:
Current Illness:
Preexisting Conditions:
Allergies:
Diagnostic Lab Data:
CDC Split Type:
Write-up: Seizure approximately 24 hours after vaccination

VAERS ID: [903400](#) ([history](#)) Vaccinated: 2020-12-17
Form: Version 2.0 Onset: 2020-12-17
Age: 55.0 Days after vaccination: 0
Sex: Female Submitted: 0000-00-00
Location: New York Entered: 2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 / 1	LA / IM

Administered by: Private Purchased by: ?
Symptoms: [Dyskinesia](#), [Dyspnoea](#), [Feeling hot](#), [Flushing](#), [Intensive care](#),
[Respiratory arrest](#), [Urticaria](#), [Wheezing](#)
SMQs: Anaphylactic reaction (narrow), Angioedema (narrow),
Asthma/bronchospasm (broad), Neuroleptic malignant syndrome
(broad), Dyskinesia (narrow), Acute central respiratory depression
(narrow), Pulmonary hypertension (broad), Guillain-Barre syndrome
(broad), Noninfectious encephalopathy/delirium (broad),
Cardiomyopathy (broad), Eosinophilic pneumonia (broad),
Hypersensitivity (narrow), Respiratory failure (narrow), Drug reaction
with eosinophilia and systemic symptoms syndrome (broad)
Life Threatening? Yes
Birth Defect? No
Died? No
Permanent Disability? No
Recovered? No
Office Visit? No
ER Visit? No
ER or Doctor Visit? Yes
Hospitalized? Yes, 2 days
Extended hospital stay? No
Previous Vaccinations: Rabies vaccine
Other Medications: Atorvastatin 20 mg once daily
Current Illness: None
Preexisting Conditions: Severe allergies
Allergies: Fish Iodine Shellfish Rabies vaccine
Diagnostic Lab Data: NA
CDC Split Type:
Write-up: 5 minutes after the Pfizer Covid-19 vaccine administration,
the patient developed flushing, hives, felt warm and eventually short of

breath. She started to wheeze and was wheeled into ER c/o "I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care.

VAERS ID: [903592](#) (history) **Vaccinated:** 2020-12-17
Form: Version 2.0 **Onset:** 2020-12-17
Age: 34.0 **Days after vaccination:** 0
Sex: Female **Submitted:** 0000-00-00
Location: Ohio **Entered:** 2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EK5730 3/2021 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Anaphylactic reaction](#), [Cough](#), [Discomfort](#), [Dizziness](#), [Dysphagia](#), [Dysphonia](#), [Dyspnoea](#), [Hypoaesthesia](#), [Hypoaesthesia oral](#), [Paraesthesia](#), [Sensation of foreign body](#), [Tachycardia](#), [Tachypnoea](#), [Throat tightness](#), [Tongue discomfort](#)

SMQs: Anaphylactic reaction (narrow), Angioedema (broad), Asthma/bronchospasm (broad), Peripheral neuropathy (broad), Neuroleptic malignant syndrome (broad), Anticholinergic syndrome (broad), Arrhythmia related investigations, signs and symptoms (broad), Anaphylactic/anaphylactoid shock conditions (narrow), Parkinson-like events (broad), Oropharyngeal conditions (excl neoplasms, infections and allergies) (narrow), Acute central respiratory depression (broad), Pulmonary hypertension (broad), Guillain-Barre syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Gastrointestinal nonspecific symptoms and therapeutic procedures (broad), Cardiomyopathy (broad), Eosinophilic pneumonia (broad), Vestibular disorders (broad), Hypersensitivity (narrow), Respiratory failure (broad), Infective pneumonia (broad), Dehydration (broad)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? No

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations: Flu vaccine

Other Medications: Levoxyl

Current Illness: None noted

Preexisting Conditions: Graves, Hashimoto's

Allergies: Levaquin, methimazole, flu vaccine with preservatives

Diagnostic Lab Data: Ask physicians

CDC Split Type:

Write-up: Not all or limited to: anaphylactic reaction: Feeling lump in throat, tongue feeling funny with numbness, feeling of hard to swallow, throat tightness, shortness of breath, tachycardia, tachypnea, pressure, tingling, and numbness from head to toe, dizziness/lightheadedness, cough, voice changes.

VAERS ID: 903638 (history)	Vaccinated:	2020-12-17
Form: Version 2.0	Onset:	2020-12-18
Age: 62.0	Days after vaccination:	1
Sex: Male	Submitted:	0000-00-00
Location: Massachusetts	Entered:	2020-12-18

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EH9899 / 1	LA / IM

Administered by: Private **Purchased by:** ?

Symptoms: [Feeling abnormal](#), [Hypoaesthesia](#), [Transient ischaemic attack](#), [Vision blurred](#)

SMQs:, Peripheral neuropathy (broad), Anticholinergic syndrome (broad), Ischaemic central nervous system vascular conditions (narrow), Dementia (broad), Embolic and thrombotic events, arterial (narrow), Guillain-Barre syndrome (broad), Glaucoma (broad), Lens disorders (broad), Retinal disorders (broad), Hypoglycaemia (broad)

Life Threatening? No

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes, 1 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: Truvada 200 mg, Protonix 40 mg, Tylenol 650 mg, ASA 81 mg, Lipitor 10 mg, Omnipaque 350mg, Lisinopril 10 mg, Zofran 4 mg

Current Illness: none

Preexisting Conditions: HTN

Allergies: NKDA

Diagnostic Lab Data: admitted to hospital TIA

CDC Split Type:

Write-up: Patient is a very pleasant 62 year old gentleman with a history of HTN, hyperlipidemia who presented with left facial numbness and left UE numbness. He states that it is worse medially on his arm. Present in upper and lower face. He states it started around 730 am this morning. He also notes intermittent "foggy" sensation since Monday associated with some blurred vision that comes and goes. Denies focal weakness, unsteady gait, difficulty with speech and swallow. He denies f/c, cp, SOB, rash, pruritis, n/v/d, edema. He did receive the Pfizer COVID vaccine yesterday

Result pages: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

[New Search](#)

Link To This Search Result:

[https://www.medalerts.org/vaersdb/findfield.php?
TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&SERIOUS=ON](https://www.medalerts.org/vaersdb/findfield.php?TABLE=ON&GROUP1=AGE&EVENTS=ON&VAX=COVID19&SERIOUS=ON)

Copyright © 2021 **National Vaccine Information Center**. All rights reserved.
21525 Ridgetop Circle, Suite 100, Sterling, VA 20166